
JKL COMPONENTS CORPORATION



- SHOP, FOOD, AND MERCHANDISE DISPLAYS MUSEUM EXHIBITS AND SHOWCASES
- CABINETRY AND CUSTOM FURNITURE
- ARCHITECTURAL ACCENTS AND DECOR



SELECT YOUR PREFERENCES

- CLEAR OR DIFFUSED LENS
- VOLTAGE 12VDC OR 24VDC

- WIRE LENGTH AND CONNECTOR
- ◆ FLUSH MOUNT OR CORNER MOUNT
 ◆ LED BAR LENGTH: 4 INCHES TO 6.5 FEET
 - COLOR TEMPERATURE/SHADE OF WHITE

JKL's ZFC-17 (Flush Mount) and ZFC-18C (Corner Mount) LED Bars are under 1" wide and offer a low profile that is ideal for most case lighting applications. To serve our customers' specific needs, we offer both flush mount and corner mount custom-length LED Fixtures. Compatible mounting clips are screwed into place for easy, secure mounting.

FLUSH & CORNER MOUNT



DIFFUSED & CLEAR LENS




SOURCING REQUIREMENTS

- LEDs ARE UL APPROVED
- MATERIALS ARE ROHS COMPLIANT
- JKL COMPONENTS IS ISO9001 REGISTERED









The flush mount and corner mount LED bars shown here represent JKL's standard options. Other LED profiles—various widths and clipless designs—can be offered and configured.

Contact JKL to discuss custom assembly linear LED needs.



In addition to our standard options, JKL offers a full range of low voltage LED options for product manufacturing. Our LEDs have been for use in FDA DOT/roadway and other related projects with stringent technical requirements.

- SIGNAGE
- SCIENTIFIC EQUIPMENT
- ARCHITECTURAL LIGHTING
- NEMA & INDUSTRIAL CASES
- TRANSPORTATION WAYFINDING







JKL COMPONENTS CORPORATION 13343 PAXTON ST, PACOIMA, CA 91331 (818) 896-0019 • (800) 421-7244 SALES@JKLLAMPS.COM WWW.JKLLAMPS.COM